

Technology kit Aqualift S Compact GTF1200 Mono float sw

Article information

Item no.: 281200-TK
GTIN: 4026092108123
Price group: 20

Description

For combination with a KESSEL shell kit for creating a Mono lifting station for wastewater without sewage with a GTF1200 wastewater pump.

The ready to plug in lifting station for wastewater without sewage is equipped with a submersible pump and a backflow preventer. The collection tank made of permanently resistant polymer (PE) has an open pump tank. One-handed closures enable easy removal of the integrated components. The system for installation in the floor slab is pre-assembled for final installation on site.

KESSEL technology kit consisting of:

- Pump with multi-vane vortex impeller for maximum operating safety
- Includes float switch for level measurement

Variant

Type of system: Single unit
Pump control: Float switch

General characteristics

ATEX: no

Dimensions

Net weight: 10,5 kg
Gross weight: 11,5 kg
Packaging dimension: length
Packaging dimension: width
Packaging dimension: height

Tank/drain body

Pumping volume: 16 l

Pumping device

Pump: GTF 1200
Number of pumps: 1
Weight, pump: 10 kg
Connection type: Schuko (earthed contact) 2-pin
Rated current: 6,2 A

Protection class:	I
Insulation class:	F
Protection class (pump):	IP 68 (3m)
Temperature monitoring:	integrated
Max. temperature (permanent) of conveyed material:	40 °C
Hot water resistance for a short time (2 min):	80 °C
Max. pumping capacity:	15,5 m ³ /h
Max. pumping height:	9 m
Speed:	2650 U/min
Power P1:	1,4 kW
Power P2:	0,84 kW
Operating mode:	S3 - 10 %
Type of fuse required (electrical protection):	C 16 A
Type of pump connection cable:	H07RN-F 3G 1.5 mm ²
Impeller type:	Multi-vane impeller
Free passage:	30 mm
Length of mains cable for pump:	5 m
Control	
Level measurement instrument:	Float switch
Type of level measurement:	mechanical
Mains frequency:	50 Hz
Operating voltage:	230 V
Connection type:	Schuko (earthed contact) 2-pin
Rated current:	6,2 A
Type of fuse required (electrical protection):	C 16 A